

NATURA 2000 - STANDARD DATA FORM

DRAFT exported from Reportnet 3 - [14/01/2026]
Gola del Furlo (IT5310016 - SCI)

Table of contents

1.Site identification 2.Site location 3.Ecological information 4.Site description 5.Site protection status
6.Site management 7.Map of the site

1. Site identification

1.1 Site type

B

1.2 Site code

IT5310016

1.3 Site name

Gola del Furlo

1.3.1 Site name non-latin alphabet (optional)

1.4 Respondent

1.4.1 Name of the organisation

Regione Marche - Direzione Ambiente e
risorse idriche

1.4.2 Contact point in the organisation (optional)

1.4.3 Postal address

Via Tiziano,44 - 60125 ANCONA

1.4.4 Functional mailbox email address

regione.marche.acquasuolocosta@emarche.it

1.4.5 Website with contact information

1.5 Site classification/proposal/designation dates

1.5.1 Date site first classified as SPA

1.5.2 SPA classification act (URI)

1.5.2 SPA classification act (free text)

1.5.3 Date site first proposed as SCI

1995-06

Date confirmed as SCI

populated by EEA on behalf of the European Commission

1.5.4 Date site designated as SAC

2016-12

1.5.5 SAC designation act (URI)

<https://www.gazzettaufficiale.it/eli/gu/2016/12/28/302/sg/pdf>

1.5.5 SAC designation act (free text)

DM 05/12/2016 - G.U. 302 del 28-12-2016

1.5.6 Explanations (optional)

2. Site location

2.1 Location calculated by the European Environment Agency

Longitude

calculated by the EEA after release in
Reportnet 3

Latitude

calculated by the EEA after release in Reportnet 3

2.1.1 Area (ha)

3059

2.1.2 Reason for area difference with spatial dataset (if any)

2.1.3 Reason for area difference – explanations

2.2 Administrative region (optional)

2.2.1 Administrative region code	2.2.2 Administrative region name
IT13	MARCHE

2.3 Biogeographical and marine regions

2.3.1 Region code	2.3.2 Percentage	Fully marine SCI/SAC (100 %) must be attributed to a biogeographical
Continental	100	Continental

3. Ecological information

3.1 Habitat types of Annex I of council directive 92/43/EEC present on the site

3.1.a Essential information (habitat type)

Annex I habitat types							
3.1.1		3.1.2	3.1.3	3.1.4	3.1.5	3.1.6	3.1.7
Code	Name	Priority form	Not present	Cover [ha]	Caves [number]	Method cover	Last data collection
3270	Rivers with muddy banks with <i>Chenopodium rubri</i> p.p. and <i>Bidention</i> p.p. vegetation	No		4.32		limited	
3280	Constantly flowing Mediterranean rivers with <i>Paspalo-Agrostidion</i> species and hanging curtains of <i>Salix</i> and <i>Populus alba</i>	No		33.94		limited	
5130	<i>Juniperus communis</i> formations on heaths or calcareous grasslands	No		26.2		limited	
6110	Rupicolous calcareous or basophilic grasslands of the <i>Alyso-Sedion albi</i>	No		25.7		limited	
6210	Semi-natural dry grasslands and scrubland facies on calcareous substrates (<i>Festuco-Brometalia</i>) (* important orchid sites)	Yes		230.02		limited	
6220	Pseudo-steppe with grasses and annuals of the <i>Thero-Brachyp odietea</i>	No		27.96		limited	
6430	Hydrophilous tall herb fringe communities of plains and of the montane to alpine levels	No		2.1		limited	

6510	Lowland hay meadows (<i>Alopecurus pratensis</i> , <i>Sanguisorba officinalis</i>)	No	8.26	limited
8210	Calcareous rocky slopes with chasmophytic vegetation	No	17.44	limited
8230	Siliceous rock with pioneer vegetation of the Sedo-Scleranthion or of the Sedo albi-Veronicion dillenii	No	91.78	limited
8310	Caves not open to the public	No	30.59	limited
91AA	Eastern white oak woods	No	607.52	limited
9210	Apennine beech forests with <i>Taxus</i> and <i>Ilex</i>	No	39.89	limited
92A0	<i>Salix alba</i> and <i>Populus alba</i> galleries	No	32.38	limited
9340	<i>Quercus ilex</i> and <i>Quercus rotundifolia</i> forests	No	305.27	limited

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Not Present: Indicates whether the habitat type is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Cover: Shows the size of habitat type as decimal values.

Caves: For habitat types 8310 and 8330 (caves), the number of caves can be entered when a surface area is not available or appropriate.

Method used for cover: Method used for cover: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; insufficient = insufficient or no data available

Last data collection: Date or period of the last data collection.

3.1.b Site assessment (habitat type)

3.1.1	3.1.2	3.1.8	3.1.9	3.1.10	3.1.12.1	3.1.12.2	3.1.12.3	3.1.13	3.1.14	3.1.15	3.1.16
Code	Name	Priority form	Significance	Representativity	Relative surface	Conservation area	Conservation method	Conservation objectives	Objectives further explanation	Global	Update date
3270	Rivers with muddy banks with Chenopodium rubri p.p. and Bidention p.p. vegetation	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B				B	202512
3280	Constantly flowing Mediterranean rivers with Paspalo-Agrostidion species and hanging curtains of Salix and Populus alba	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B				B	202512

5130	Juniperus communis formations on heaths or calcareous grasslands	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	20241 2
6110	Rupicolous calcareous or basophilic grasslands of the Alysso-Sedion albi	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	20241 2

6210	Semi-natural dry grasslands and scrubland facies on calcareous substrates (Festuco-Brometalia) (* important orchid sites)	Yes	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	20241 2
6220	Pseudo-steppe with grasses and annuals of the Thero-Brachypodietea	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	20241 2

6430	Hydrophilous tall herb fringe communities of plains and of the montane to alpine levels	No	significant	B	C	B	B	20241 2
6510	Lowland hay meadows (Alopecurus pratensis, Sanguisorba officinalis)	No	significant	C	C	B	C	20241 2

8210	Calcareous rocky slopes with chasmophytic vegetation	No	significant	A	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	A	A	20241 2
8230	Siliceous rock with pioneer vegetation of the Sedo-Scleranthion or of the Sedo albi-Veronicion dillenii	No	significant	A	B Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	A	A	20251 2

8310	Caves not open to the public	No	significant	A	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	C	20241 2
91AA	Eastern white oak woods	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	20241 2

9210	Apennine beech forests with Taxus and Ilex	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	20241 2
92A0	Salix alba and Populus alba galleries	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	20241 2

9340	Quercus ilex and Quercus rotundifolia forests	No	significant	B	C	B	B	20241 2
------	--	----	-------------	---	---	---	---	------------

Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Significance: Indicates if the occurrence is significant or not.

Representativity: Degree of representativity of the habitat type on the site: A = excellent; B = good; C = significant

Relative Surface: Area of the site covered by the habitat type in relation to the total area covered by that habitat type within the national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat area in good condition); B = good (most of the habitat area in good condition); C = reduced (most of the habitat area in not good condition); X = unknown (most or all of the habitat area in unknown condition).

Conservation area: Area of conservation degree categories in good (A + B), not good (C), unknown (X) conditions as hectare values.

Conservation method: Method used for degree of conservation: complete = Complete survey or statistically robust estimate in hectares (for example taken from mapping in management plans); limited = Based mainly on extrapolation from a limited amount of data (expert judgement); veryLimited = Based mainly on expert opinion with very limited data (based on partial mapping data); insufficient = Insufficient or no data available.

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the habitat type's surface area and its good condition; enlarge = Enlarge the area of the habitat type; improve = Improve the habitat type condition; reestablish = Re-establish the habitat type; other = Other.

Global: Global assessment of the habitat type in the site: A = excellent; B = good; C = significant.

Updated date: Date or period of the last update.

3.2 Species referred to in Article 4 of Directive 2009/147/EC and species listed in Annex II to Directive 92/43/EEC present on the site

3.2.a Essential information (species)

Species	Population in the site
---------	------------------------

3.2.1	3.2.2		3.2.4	3.2.5	3.2.6	3.2.7.1	3.2.7.1	3.2.7.2	3.2.8	3.2.9	3.2.10
Group	Code	Scientific name	Sensitive	Not present	Type	Size min	Size max	Unit	Abundance	Mehod Populaton size	Last data collection
A	1167	Triturus carnifex			p				C	insufficient	
F	1137	Barbus plebejus			p				P	insufficient	
F	5304	Cobitis bilineata			p				P	insufficient	
F	5962	Protochondrostoma genei			p				R	insufficient	
F	1136	Rutilus rubilio			p				P	insufficient	
F	5331	Telestes muticellus			p				P	insufficient	
I	1088	Cerambyx cerdo			p				P	insufficient	
I	1074	Eriogaster catax			p				P	insufficient	
I	1065	Euphydryas aurinia			p				P	insufficient	
I	6199	Euplagia quadripunctaria			p				C	insufficient	
I	1083	Lucanus cervus			p				P	insufficient	
I	1041	Oxygastra curtisii			r				P	insufficient	
M	1352	Canis lupus			p				P	insufficient	
M	1310	Miniopterus schreibersii			r				P	insufficient	
M	1304	Rhinolophus ferrumequinum			p				P	insufficient	
M	1303	Rhinolophus hipposideros			p				P	insufficient	
P	4104	Himantoglossum adriaticum			p				P	insufficient	

R	1279	Elaphe quatuorlineata	p	P	insufficient
---	------	-----------------------	---	---	--------------

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Sensitive: Species indicated with “true” are classified as sensitive.

Not Present: Indicates whether the species is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Type: Population type of species in the site: p = Permanent: to be found throughout the year on the site (non-migratory species, plants, resident population of migratory species); r = Reproducing: uses the site to raise young (e.g. breeding, nesting); c = Concentration: site used for staging or roosting or migration stop/over or for moulting outside the breeding grounds and excluding wintering; w = Wintering: uses the site during the winter.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

Method Population size: Method used for population size: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; veryLimited = Based mainly on expert opinion with very limited data; insufficient = insufficient or no data available.

Last data collection: Date or period of the last data collection.

3.2.b Site assessment (species)

3.2.1	3.2.2	3.2.3	3.2.6	3.2.11	3.2.12	3.2.13	3.2.14	3.2.15	3.2.15.2	3.2.15.3	3.2.16	3.2.17	3.2.18	3.2.19	3.2.20
Group	Code	Scientific Name	Type	Significance	SPA classification	Population	Population further explanation	Conservation	Conservation occupied % area (optional)	Conservation occupied % class	Conservation objectives	Objetives further explanation	Isolation	Global	Update date
A	1167	Triturus carnifex	p	significant		C		B					C	B	202412
F	1137	Barbus plebejus	p	significant		C		C					A	C	202412
F	5304	Cobitis bilineata	p	significant		C		C					A	C	202412
F	5962	Protochondrostoma genei	p	significant		C		C					A	C	202412
F	1136	Rutilus rubilio	p	significant		C		C					A	C	202412
F	5331	Telestes muticellus	p	significant		C		C					A	C	202412
I	1088	Cerambyx cerdo	p	significant		C		C					C	C	202412
I	1074	Eriogaster catax	p	significant		C		C					C	C	202412
I	1065	Euphydryas aurinia	p	significant		C		C					B	B	202412
I	6199	Euplagia quadripunctaria	p	significant		C		C					B	B	202412
I	1083	Lucanus cervus	p	significant		C		C					C	C	202412
I	1041	Oxygastra curtisii	r	significant		C		B					B	C	202412
M	1352	Canis lupus	p	significant		C		B					B	B	202412

M	1310	Miniopterus schreibersii	r	significant	C	B	C	B	202412
M	1304	Rhinolophus ferrumequinum	p	significant	C	C	C	C	202412
M	1303	Rhinolophus hipposideros	p	significant	C	B	C	B	202412
P	4104	Himantoglossum adriaticum	p	significant	B	B	C	B	202412
R	1279	Elaphe quatuorlineata	p	significant	C	B	C	B	202412

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Significance: Indicates if the occurrence is significant or not.

SPA classification: Indicate if the bird species met the ornithological criteria used to justify SPA classification.

Population: Size and density of the population of the species present on the site in relation to the populations present within national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat occupied by the species has sufficient quality); B = good (most of the habitat occupied by the species has sufficient quality); C = reduced (most of the habitat occupied by the species has non-sufficient quality); X = unknown (most of the habitat occupied by the species has unknown quality).

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the extent and good quality of the habitat of the species and the population size; enlarge = Enlarge area of the habitat of the species; improve = Improve the quality of the habitat of the species (considering also disturbance and mortality factors); reestablish = Re-establish habitat for the species; increase = Increase the population size; reduce = Reduce pressure on the population (e.g. reduce mortality or disturbance); reestablishPopulation = Re-establish the population at the site; other = Other.

Isolation: Degree of isolation: A = population (almost) isolated, B = population not-isolated, but on the margins of are of distribution, C = population not-isolated within extended distribution range.

Global: Global assessment of the species in the site: A = excellent; B = good; C = significant.

Global: Date or period of the last update.

3.3 Other important species of flora and fauna (optional)

3.3.1	3.3.2	3.3.3	3.3.4	3.3.5	3.3.6.1	3.3.6.1	3.3.6.2	3.3.7
-------	-------	-------	-------	-------	---------	---------	---------	-------

Group	Code	Scientific name	Sensitive	Not present	Size min	Size max	Population unit	Abundance
A		Bufo bufo		no				P
A	6962	Bufotes viridis Complex		no				P
A	5358	Hyla intermedia		no				P
A	1209	Rana dalmatina		no				P
A		Salamandra salamandra		no				P
B	A086	Accipiter nisus		no				R
B	A324	Aegithalos caudatus		no				C
B	A229	Alcedo atthis		no				R
B	A255	Anthus campestris		no				C
B	A091	Aquila chrysaetos		no	2	2	i	
B	A215	Bubo bubo		no				R
B	A087	Buteo buteo		no				C
B	A224	Caprimulgus europaeus		no				C
B	A698	Casmerodius albus albus		no				C
B	A081	Circus aeruginosus		no				R
B	A347	Corvus monedula		no				C
B	A026	Egretta garzetta		no				P
B	A383	Emberiza calandra		no				C
B	A727	Eudromias morinellus		no				R
B	A101	Falco biarmicus		no				R
B	A098	Falco columbarius		no				P
B	A103	Falco peregrinus		no	4	4	i	
B	A096	Falco tinnunculus		no				C

B	A022	Ixobrychus minutus	no						P
B	A338	Lanius collurio	no						C
B	A023	Nycticorax nycticorax	no						P
B	A140	Pluvialis apricaria	no						P
B	A250	Ptyonoprogne rupestris	no						C
B	A346	Pyrrhocorax pyrrhocorax	no	20	20		i		
B	A219	Strix aluco	no						C
B	A305	Sylvia melanocephala	no						C
B	A302	Sylvia undata	no						P
B	A228	Tachymarpis melba	no						C
B	A333	Tichodroma muraria	no						R
B	A213	Tyto alba	no						C
F	5085	Barbus barbus	no						P
F		Squalius cephalus	no						P
I		Lucanus tetraodon	no						P
M	1344	Hystrix cristata	no						C
M	1341	Muscardinus avellanarius	no						P
M		Sciurus vulgaris	no						P
P		Anthericum liliago	no						R
P		Arbutus unedo	no						V
P		Asperugo procumbens	no						V
P		Asplenium lepidum	no						V

P	Asplenium trichomanes pachyrachis	no	V
P	Aster amellus	no	V
P	Campanula medium	no	V
P	Campanula tanfanii	no	R
P	Cardamine chelidonia	no	V
P	Carex distachya	no	V
P	Celtis australis	no	V
P	Centranthus calcitrapa	no	V
P	Centranthus ruber	no	V
P	Chrysopogon gryllus	no	V
P	Clematis recta	no	V
P	Crocus biflorus	no	V
P	Festuca gigantea	no	V
P	Fumaria capreolata	no	R
P	Hieracium humile Jacq.	no	V
P	Hordelymus europaeus (L.) Harz	no	V
P	Iris graminea	no	V
P	Lagurus ovatus	no	V
P	Laurus nobilis	no	V
P	Leersia oryzoides	no	V
P	Lembotropis nigricans	no	R
P	Leopoldia tenuiflora	no	R

P		Moehringia papulosa	no	V
P		Ophrys bombyliflora	no	V
P		Orchis militaris	no	V
P		Piptatherum miliaceum	no	R
P		Polystichum aculeatum	no	V
P		Polystichum lonchitis	no	V
P		Rhamnus catharticus	no	V
P		Romulea columnae	no	V
P		Scrophularia peregrina L.	no	V
P		Sparganium erectum	no	V
P		Trisetum villosum	no	V
P		Vitis vinifera ssp. sylvestris	no	V
R		Anguis fragilis	no	P
R		Chalcides chalcides	no	P
R	5670	Hierophis viridiflavus	no	P
R	5179	Lacerta bilineata	no	P
R		Natrix natrix	no	P
R	1292	Natrix tessellata	no	P
R	1256	Podarcis muralis	no	C
R	6091	Zamenis longissimus	no	C

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Code: For Birds, Annex II, IV and V species the code from the official code list as provided in the reference portal..

Sensitive: Species indicated with “true” are classified as sensitive.

Not present: Indicates whether the species is no longer present (noLongerPresent) on the site.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

3.3.8 Motivation

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A086	Accipiter nisus					X										
A324	Aegithalos caudatus					X										
A229	Alcedo atthis				X											
	Anguis fragilis											X				
	Anthericum liliago															X
A255	Anthus campestris				X											
A091	Aquila chrysaetos				X											
	Arbutus unedo															X
	Asperugo procumbens															X
	Asplenium lepidum															X

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason	
	Asplenium trichomanes pachyrachis																X
	Aster amellus																X
5085	Barbus barbus			X													
A215	Bubo bubo				X												
	Bufo bufo											X					
6962	Bufotes viridis Complex		X														
A087	Buteo buteo					X											
	Campanula medium																X
	Campanula tanfanii										X						
A224	Caprimulgus europaeus				X												
	Cardamine chelidonia																X
	Carex distachya																X
A698	Casmerodius albus albus				X												
	Celtis australis																X

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason	
	Centranthus calcitrapa																X
	Centranthus ruber																X
	Chalcides chalcides											X					
	Chrysopogon gryllus																X
A081	Circus aeruginosus				X												
	Clematis recta																X
A347	Corvus monedula					X											
	Crocus biflorus																X
A026	Egretta garzetta				X												
A383	Emberiza calandra					X											
A727	Eudromias morinellus				X												
A101	Falco biarmicus				X												
A098	Falco columbarius				X												
A103	Falco peregrinus				X												
A096	Falco tinnunculus					X											

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason	
	<i>Festuca gigantea</i>																X
	<i>Fumaria capreolata</i>																X
	<i>Hieracium humile</i> Jacq.																X
5670	<i>Hierophis viridiflavus</i>		X														
	<i>Hordelymus europaeus</i> (L.) Harz																X
5358	<i>Hyla intermedia</i>		X														
1344	<i>Hystrix cristata</i>		X														
	<i>Iris graminea</i>																X
A022	<i>Ixobrychus minutus</i>				X												
5179	<i>Lacerta bilineata</i>		X														
	<i>Lagurus ovatus</i>																X
A338	<i>Lanius collurio</i>				X												
	<i>Laurus nobilis</i>																X
	<i>Leersia oryzoides</i>																X
	<i>Lembotropis nigricans</i>																X

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason	
	Leopoldia tenuiflora							X									
	Lucanus tetradon																X
	Moehringia papulosa											X					
1341	Muscardinus avellanarius		X														
	Natrix natrix											X					
1292	Natrix tessellata		X														
A023	Nycticorax nycticorax				X												
	Ophrys bombyliflora											X					
	Orchis militaris											X					
	Piptatherum miliaceum																X
A140	Pluvialis apricaria				X												
1256	Podarcis muralis		X														
	Polystichum aculeatum																X
	Polystichum lonchitis																X

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A250	Ptyonoprogne rupestris					X										
A346	Pyrrhocorax pyrrhocorax				X											
1209	Rana dalmatina		X													
	Rhamnus catharticus															X
	Romulea columnae															X
	Salamandra salamandra											X				
	Sciurus vulgaris											X				
	Scrophularia peregrina L.															X
	Sparganium erectum															X
	Squalius cephalus															X
A219	Strix aluco					X										
A305	Sylvia melanocephala					X										
A302	Sylvia undata				X				X							

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A228	Tachymarptis melba					X										
A333	Tichodroma muraria					X										
	Trisetum villosum										X					
A213	Tyto alba					X										
	Vitis vinifera ssp. sylvestris															X
6091	Zamenis longissimus		X													

Motivation: The motivation for listing additional species: H.D. Annex II = Species of Annex II Habitats Directive in SPA; H.D. Annex IV = Species of Annex IV Habitats Directive; H.D. Annex V = Species of Annex V Habitats Directive; B.D. Annex I = Bird species of Annex I Birds Directive in a pSCI, SCI, SAC; Migratory birds = Migratory bird species in a pSCI, SCI, SAC; CFP prohib. = Prohibited species of Annex I of the Technical Measures Regulation under the common fisheries policy (EU Regulation 2019/1241); Int conv. = Species listed/protected under international Conventions; H.D. Annex I = Typical species of Annex I habitat types; CWR/FRG = Crop Wild Relatives (CWR) / Forest Genetic Resources (FGR); IAS Union = Invasive alien species of Union concern (EU Regulation 1143/2014 on invasive alien species).

4. Site description

4.1 Site characteristics

Gola rupestre calcarea di eccezionale interesse fitogeografico, per presenza di specie rare e per la forte ricchezza in habitat. Habitat da aggiungere rispetto all'allegato I della direttiva 92/43 - CEE: - Arbusteti submediterranei (Cytision sessilifolii); - Boschi submontani centro e nord appenninici di Carpino nero (Laburno-Ostryon).

4.2 Quality and importance of the site

Specie molto rare nella regione. Area di fondamentale importanza perchè sito di nidificazione di rapaci rupicoli (Aquila reale, Gheppio, Falco Pellegrino, Lanario).

4.3 Pressures on the site

4.3.1 Pressure code	4.3.2 Rank	4.3.3 Location	4.3.4 Further details
PA05	low	in	
PB08	low	in	
PD02	low	out	
PL05	medium	inout	

Pressure code: Pressure code

Rank: Relative importance of a pressure in the categories high, medium, low.

Location: Indicates where the pressure is located: in = within the site; out = outside of the site; inout = within and outside of the site.

4.3.5 Last update of the information on the pressures on the site

202512

4.4 Documentation

4.4.1 Link(s)

4.4.2 Last update of the documentation information

5. Site management

5.1 Body responsible for the site management

5.1.1 Name of the organization

Per territorio del SIC non compreso sia in quello della Riserva naturale statale della Gola del Furlo sia in quello della Comunità Montana Ambito 2B: Provincia di Pesaro e Urbino

5.1.2 Contact point in the organisation (optional)

No information provided

5.1.3 Postal address

Via Gramsci, 4 (61121) Pesaro Tel. 0721.700041, fax 0721/700057

5.1.4 Functional mailbox email address

provincia.pesarourbino@legalmail.it

5.1.5 Website with contact information

No information provided

5.1 Body responsible for the site management

5.1.1 Name of the organization

Per territorio del SIC non compreso nel territorio della Riserva naturale statale della Gola del Furlo ma ricadente in quello dell'Unione Montana Ambito 2B: Ambito n. 2 B - Unione Montana del Catria e Nerone

5.1.2 Contact point in the organisation (optional)

No information provided

5.1.3 Postal address

5.1.4 Functional mailbox email address

cm.cagli@emarche.it

5.1.5 Website with contact information

No information provided

5.1 Body responsible for the site management

5.1.1 Name of the organization

Per territorio del SIC compreso nella Riserva Naturale statale della Gola del Furlo: Provincia di Pesaro e Urbino quale soggetto gestore della Riserva naturale statale della Gola del Furlo

5.1.2 Contact point in the organisation (optional)

No information provided

5.1.3 Postal address

Via Gramsci, 4 (61121) Pesaro Tel. 0721.700041, fax 0721.700057

5.1.4 Functional mailbox email address

riservafurlo@provincia.ps.it

5.1.5 Website with contact information

No information provided

5.2 Management plans

5.2.1 Existence of management plan(s)

Yes

5.2.2 Reference and validity of the management plan(s)

Name of the plan	Link to the plan (URI)	Validity of the plan (start date)	Duration (number of months)
Piano di gestione del sito Natura 2000 IT5310016 "Gola del Furlo"	https://www.norme.marche.it/NormeMarche/atto/detail.html?id=2259466&type=scadutiDelibereGiunta&page=0&ordinamento=data_atto&tipoOrdinamento=desc&limit=10		Not undefined

5.2.3 Further explanations

5.3 Conservation measures

5.3.1 Detailed information on measures

Necessary conservation measures are included in the management plan(s)

Necessary conservation measures are described in the following document(s)

5.3.1.b Title	5.3.1.c Link to online resource
DDS TTER 28 del 4/03/2025	https://www.norme.marche.it/NormeMarche/atto/detail.html?id=2423306

Further explanations on detailed conservation measures

Sono in vigore: 1) Misure di conservazione generali: - http://www.norme.marche.it/Delibere/2008/DGR1471_08.pdf -

http://www.norme.marche.it/Delibere/2009/DGR1036_09.pdf 2) Misure di conservazione sito-specifiche: -

https://www.norme.marche.it/Delibere/2016/DGR0660_16.pdf

5.3.2 Status of conservation measures

Are the necessary measures established?

Are the established measures implemented?

5.4 Management effectiveness

Is the effectiveness of the conservation measures periodically assessed?

6. Geospatial representation of the site

6.1 INSPIRE identifier

6.1.1 Namespace

6.1.2 Local identifier

6.1.3 Version identifier (optional)