

# NATURA 2000 - STANDARD DATA FORM

DRAFT exported from Reportnet 3 - [14/01/2026]  
Serre del Burano (IT5310018 - SPA/SCI)

## Table of contents

1.Site identification 2.Site location 3.Ecological information 4.Site description 5.Site protection status  
6.Site management 7.Map of the site

## 1. Site identification

### 1.1 Site type

C

### 1.2 Site code

IT5310018

### 1.3 Site name

Serre del Burano

### 1.3.1 Site name non-latin alphabet (optional)

## 1.4 Respondent

### 1.4.1 Name of the organisation

Regione Marche - Direzione Ambiente e  
risorse idriche

### 1.4.2 Contact point in the organisation (optional)

### 1.4.3 Postal address

Via Tiziano,44 - 60125 ANCONA

### 1.4.4 Functional mailbox email address

regione.marche.acquasuolocosta@emarche.it

### 1.4.5 Website with contact information

## 1.5 Site classification/proposal/designation dates

### 1.5.1 Date site first classified as SPA

2003-03

### 1.5.2 SPA classification act (URI)

<https://www.norme.marche.it/NormeMarche/atto/download-file.html?idAllegato=1403922&id=1403920>

### 1.5.2 SPA classification act (free text)

DGR delle Marche n° 1701 dell'01/08/2000

### 1.5.3 Date site first proposed as SCI

1995-06

### Date confirmed as SCI

populated by EEA on behalf of the European Commission

### 1.5.4 Date site designated as SAC

2016-12

### 1.5.5 SAC designation act (URI)

<https://www.gazzettaufficiale.it/eli/gu/2016/12/28/302/sg/pdf>

### 1.5.5 SAC designation act (free text)

DM 05/12/2016 - G.U. 302 del 28-12-2016

### 1.5.6 Explanations (optional)

## 2. Site location

### 2.1 Location calculated by the European Environment Agency

Longitude

Latitude

calculated by the EEA after release in  
Reportnet 3

calculated by the EEA after release in Reportnet 3

### 2.1.1 Area (ha)

3720

### 2.1.2 Reason for area difference with spatial dataset (if any)

### 2.1.3 Reason for area difference – explanations

## 2.2 Administrative region (optional)

2.2.1 Administrative region code	2.2.2 Administrative region name
IT13	MARCHE

## 2.3 Biogeographical and marine regions

2.3.1 Region code	2.3.2 Percentage	Fully marine SCI/SAC (100 %) must be attributed to a biogeographical
Continental	100	Continental

## 3. Ecological information

### 3.1 Habitat types of Annex I of council directive 92/43/EEC present on the site

#### 3.1.a Essential information (habitat type)

Annex I habitat types							
3.1.1 Code	Name	3.1.2 Priority form	3.1.3 Not present	3.1.4 Cover [ha]	3.1.5 Caves [number]	3.1.6 Method cover	3.1.7 Last data collection
3270	Rivers with muddy banks with Chenopodium rubri p.p. and Bidention p.p. vegetation	No		0.5		limited	
4030	European dry heaths	No		185.98		limited	
5130	Juniperus communis formations on heaths or calcareous grasslands	No		2.82		limited	
6210	Semi-natural dry grasslands and scrubland facies on calcareous substrates (Festuco-Brometalia) (* important orchid sites)	Yes		109.01		limited	
6220	Pseudo-steppe with grasses and annuals of the Thero-Brachyp odietea	No		4.09		limited	
6430	Hydrophilous tall herb fringe communities of plains and of the montane to alpine levels	No		0.22		limited	
91E0	Alluvial forests with Alnus glutinosa and Fraxinus excelsior (Alno-Padion, Alnion incanae, Salicion albae)	No		0.27		limited	

91L0	Illyrian oak-hornbeam forests (Erythronio-Carpinion)	No	21.31	limited
9210	Apennine beech forests with Taxus and Ilex	No	288.62	limited
9260	Castanea sativa woods	No	37.2	limited
92A0	Salix alba and Populus alba galleries	No	8.76	limited

**Priority Form:** For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

**Not Present:** Indicates whether the habitat type is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

**Cover:** Shows the size of habitat type as decimal values.

**Caves:** For habitat types 8310 and 8330 (caves), the number of caves can be entered when a surface area is not available or appropriate.

**Method used for cover:** Method used for cover: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; insufficient = insufficient or no data available

**Last data collection:** Date or period of the last data collection.

### 3.1.b Site assessment (habitat type)

3.1.1	3.1.2	3.1.8	3.1.9	3.1.10	3.1.12.1	3.1.12.2	3.1.12.3	3.1.13	3.1.14	3.1.15	3.1.16
Code	Name	Priority form	Significance	Representativity	Relative surface	Conservation area	Conservation method	Conservation objectives	Objectives further explanation	Global	Update date
3270	Rivers with muddy banks with Chenopodium rubri p.p. and Bidention p.p. vegetation	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B				B	202412
4030	European dry heaths	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B				B	202512

5130	Juniperus communis formations on heaths or calcareous grasslands	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	20241 2
6210	Semi-natural dry grasslands and scrubland facies on calcareous substrates (Festuco-Brometalia) (* important orchid sites)	Yes	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	20241 2

6220	Pseudo-steppe with grasses and annuals of the Thero-Brachypodietea	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	20241 2
6430	Hydrophilous tall herb fringe communities of plains and of the montane to alpine levels	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	20241 2

91E0	Alluvial forests with <i>Alnus glutinosa</i> and <i>Fraxinus excelsior</i> (Alno-Padion, <i>Alnion incanae</i> , <i>Salicion albae</i> )	No	significant	C	C	B	B	20241 2
					Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17			
91L0	Illyrian oak-hornbeam forests ( <i>Erythronio-Carpinion</i> )	No	significant	B	C	B	B	20241 2
					Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17			

9210	Apennine beech forests with Taxus and Ilex	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	A	A	20241 2
9260	Castanea sativa woods	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	20241 2

92A0	Salix alba and Populus alba galleries	No	significant	B	C	B	B	202412
------	---------------------------------------	----	-------------	---	---	---	---	--------

Calcolata come rapporto tra il valore di F\_3\_1\_4\_habitat\_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17

**Priority Form:** For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

**Significance:** Indicates if the occurrence is significant or not.

**Representativity:** Degree of representativity of the habitat type on the site: A = excellent; B = good; C = significant

**Relative Surface:** Area of the site covered by the habitat type in relation to the total area covered by that habitat type within the national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

**Conservation:** Degree of conservation: A = excellent (nearly all of the habitat area in good condition); B = good (most of the habitat area in good condition); C = reduced (most of the habitat area in not good condition); X = unknown (most or all of the habitat area in unknown condition).

**Conservation area:** Area of conservation degree categories in good (A + B), not good (C), unknown (X) conditions as hectare values.

**Conservation method:** Method used for degree of conservation: complete = Complete survey or statistically robust estimate in hectares (for example taken from mapping in management plans); limited = Based mainly on extrapolation from a limited amount of data (expert judgement); veryLimited = Based mainly on expert opinion with very limited data (based on partial mapping data); insufficient = Insufficient or no data available.

**Conservation objectives:** prevent = Prevent deterioration; maintain = Maintain the habitat type's surface area and its good condition; enlarge = Enlarge the area of the habitat type; improve = Improve the habitat type condition; reestablish = Re-establish the habitat type; other = Other.

**Global:** Global assessment of the habitat type in the site: A = excellent; B = good; C = significant.

**Updated date:** Date or period of the last update.

### 3.2 Species referred to in Article 4 of Directive 2009/147/EC and species listed in Annex II to Directive 92/43/EEC present on the site

#### 3.2.a Essential information (species)

Species	Population in the site
---------	------------------------

3.2.1	3.2.2		3.2.4	3.2.5	3.2.6	3.2.7.1	3.2.7.1	3.2.7.2	3.2.8	3.2.9	3.2.10	
Group	Code	Scientific name	Sensitive	Not present	Type	Size min	Size max	Unit	Abundance	Method	Population size	Last data collection
A	5357	Bombina pachypus			p				P		insufficient	
A	1175	Salamandrina terdigitata			p				R		insufficient	
A	1167	Triturus carnifex			p				R		insufficient	
B	A086	Accipiter nisus			c				P		insufficient	
B	A086	Accipiter nisus			r	1	5	p			complete	
B	A086	Accipiter nisus			w				P		insufficient	
B	A087	Buteo buteo			r	1	5	p			complete	
B	A087	Buteo buteo			w	1	5	i			complete	
B	A224	Caprimulgus europaeus			r				P		insufficient	
B	A080	Circaetus gallicus			p				R		insufficient	
B	A483	Cyanistes caeruleus			r				C		insufficient	
B	A236	Dryocopus martius			p				R		insufficient	
B	A269	Erithacus rubecula			r				P		insufficient	
B	A269	Erithacus rubecula			c				P		insufficient	
B	A359	Fringilla coelebs			r				C		insufficient	
B	A338	Lanius collurio			r				P		insufficient	
B	A246	Lullula arborea			p				P		insufficient	

B	A072	Pernis apivorus	r	P	insufficient
B	A493	Poecile palustris	r	C	insufficient
B	A318	Regulus ignicapilla	r	P	insufficient
B	A311	Sylvia atricapilla	r	C	insufficient
B	A285	Turdus philomelos	r	P	insufficient
B	A284	Turdus pilaris	w	P	insufficient
B	A287	Turdus viscivorus	r	P	insufficient
F	1137	Barbus plebejus	p	C	insufficient
F	1136	Rutilus rubilio	p	C	insufficient
F	5349	Salmo cetti	p	C	insufficient
F	5331	Telestes muticellus	p	C	insufficient
I	1092	Austropotamobius pallipes	p	R	insufficient
M	1308	Barbastella barbastellus	p	R	insufficient
M	1321	Myotis emarginatus	p	R	insufficient
M	1304	Rhinolophus ferrumequinum	p	V	insufficient
P	4104	Himantoglossum adriaticum	p	P	insufficient

**Group:** The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

**Sensitive:** Species indicated with “true” are classified as sensitive.

**Not Present:** Indicates whether the species is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

**Type:** Population type of species in the site: p = Permanent: to be found throughout the year on the site (non-migratory species, plants, resident population of migratory species); r = Reproducing: uses the site to raise young (e.g. breeding, nesting); c = Concentration: site used for staging or roosting or migration stop/over or for moulting outside the breeding grounds and excluding wintering; w = Wintering: uses the site during the winter.

**Unit:** The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

**Abundance:** Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

**Method Population size:** Method used for population size: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; veryLimited = Based mainly on expert opinion with very limited data; insufficient = insufficient or no data available.

**Last data collection:** Date or period of the last data collection.

### 3.2.b Site assessment (species)

3.2.1	3.2.2	3.2.3	3.2.6	3.2.11	3.2.12	3.2.13	3.2.14	3.2.15	3.2.15.2	3.2.15.3	3.2.16	3.2.17	3.2.18	3.2.19	3.2.20
Group	Code	Scientific Name	Type	Significance	SPA classification	Population	Population further explanation	Conservation	Conservation occupied % area (optional)	Conservation occupied % class	Conservation objectives	Objetives further explanation	Isolation	Global	Update date
A	5357	Bombina pachypus	p	significant		C		B					C	B	202412
A	1175	Salaman drina ter digitata	p	significant		C		B					B	B	202412
A	1167	Triturus carnifex	p	significant		C		C					B	B	202412
B	A086	Accipiter nisus	c	significant		C		B					C	B	202412
B	A086	Accipiter nisus	r	significant		C		B					C	B	202412
B	A086	Accipiter nisus	w	significant		C		B					C	B	202412
B	A087	Buteo buteo	r	significant		C		B					C	B	202412
B	A087	Buteo buteo	w	significant		C		B					C	B	202412
B	A224	Caprimulgus europaeus	r	significant		C		B					C	B	202412
B	A080	Circaetus gallicus	p	non-significant											202412
B	A483	Cyanistes caeruleus	r	significant		C		B					C	B	202412
B	A236	Dryocopus martius	p	non-significant											202412

B	A26 9	Erithacus rubecula	r	significant	C	B	C	B	20241 2
B	A26 9	Erithacus rubecula	c	significant	C	B	C	B	20241 2
B	A35 9	Fringilla coelebs	r	significant	C	B	C	B	20241 2
B	A33 8	Lanius collurio	r	significant	C	B	C	B	20241 2
B	A24 6	Lullula arborea	p	non-significan t					20241 2
B	A07 2	Pernis apivorus	r	significant	C	B	C	B	20241 2
B	A49 3	Poecile palustris	r	significant	C	B	C	B	20241 2
B	A31 8	Regulus i gnicapilla	r	significant	C	B	C	B	20241 2
B	A31 1	Sylvia atr icapilla	r	significant	C	B	C	B	20241 2
B	A28 5	Turdus p hilomelo s	r	significant	C	B	C	B	20241 2
B	A28 4	Turdus pilaris	w	significant	C	B	C	B	20241 2
B	A28 7	Turdus vi scivorus	r	significant	C	B	C	B	20241 2
F	1137	Barbus plebejus	p	significant	C	B	B	B	20241 2
F	1136	Rutilus rubilio	p	significant	C	C	B	B	20241 2
F	5349	Salmo cetti	p	significant	C	A	A	B	20241 2
F	5331	Telestes muticellu s	p	significant	C	C	B	B	20241 2
I	1092	Austropo tamobius pallipes	p	significant	C	C	C	B	20241 2

M	1308	Barbastella barbastellus	p	significant	C	C	B	B	202412
M	1321	Myotis marginatus	p	significant	C	C	B	B	202412
M	1304	Rhinolophus ferrumequinum	p	significant	C	C	B	B	202412
P	4104	Himantoglossum adriaticum	p	significant	B	B	C	B	202412

**Group:** The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

**Significance:** Indicates if the occurrence is significant or not.

**SPA classification:** Alndicate if the bird species met the ornithological criteria used to justify SPA classification.

**Population:** Size and density of the population of the species present on the site in relation to the populations present within national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

**Conservation:** Degree of conservation: A = excellent (nearly all of the habitat occupied by the species has sufficient quality); B = good (most of the habitat occupied by the species has sufficient quality); C = reduced (most of the habitat occupied by the species has non-sufficient quality); X = unknown (most of the habitat occupied by the species has unknown quality).

**Conservation objectives:** prevent = Prevent deterioration; maintain = Maintain the extent and good quality of the habitat of the species and the population size; enlarge = Enlarge area of the habitat of the species; improve = Improve the quality of the habitat of the species (considering also disturbance and mortality factors); reestablish = Re-establish habitat for the species; increase = Increase the population size; reduce = Reduce pressure on the population (e.g. reduce mortality or disturbance); reestablishPopulation = Re-establish the population at the site; other = Other.

**Isolation:** Degree of isolation: A = population (almost) isolated, B = population not-isolated, but on the margins of are of distribution, C = population not-isolated within extended distribution range.

**Global:** Global assessment of the species in the site: A = excellent; B = good; C = significant.

**Global:** Date or period of the last update.

### 3.3 Other important species of flora and fauna (optional)

3.3.1	3.3.2	3.3.3	3.3.4	3.3.5	3.3.6.1	3.3.6.1	3.3.6.2	3.3.7
Group	Code	Scientific name	Sensitive	Not present	Size min	Size max	Population unit	Abundance
A		Salamandra salamandra		no				P

B	A335	<i>Certhia brachydactyla</i>	no	C
B	A473	<i>Periparus ater</i>	no	C
B	A332	<i>Sitta europaea</i>	no	C
F		<i>Salmo trutta trutta</i>	no	P
I	1053	<i>Zerynthia polyxena</i>	no	P
M	1327	<i>Eptesicus serotinus</i>	no	P
M	5365	<i>Hypsugo savii</i>	no	P
M	1314	<i>Myotis daubentonii</i>	no	P
M	1331	<i>Nyctalus leisleri</i>	no	P
M	2016	<i>Pipistrellus kuhlii</i>	no	P
M	1309	<i>Pipistrellus pipistrellus</i>	no	P
P		<i>Calluna vulgaris</i>	no	R
P		<i>Centaurium maritimum</i>	no	V
P		<i>Dryopteris affinis</i> <i>ssp. borrieri</i>	no	V
P		<i>Galium rotundifolium</i>	no	V
P		<i>Hypericum humifusum</i> L.	no	R
P		<i>Jasione montana</i> L.	no	R
P		<i>Logfia gallica</i>	no	P
P		<i>Logfia minima</i>	no	P
P		<i>Lotus angustissimus</i> L.	no	R
P		<i>Luzula pilosa</i> (L.) Willd.	no	V
P		<i>Montia fontana</i> ssp. <i>chondrosperma</i>	no	P

P	Myosotis discolor Pers.	no	V
P	Ophioglossum vulgatum	no	P
P	Ornithopus perpusillus L.	no	V
P	Orobanche rapum-genistae Thuill.	no	V
P	Sonchus arvensis	no	R
P	Tolpis virgata (Desf.) Bertol.	no	R
P	Tuberaria guttata (L.) Fourr.	no	V

**Group:** The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

**Code:** For Birds, Annex II, IV and V species the code from the official code list as provided in the reference portal..

**Sensitive:** Species indicated with “true” are classified as sensitive.

**Not present:** Indicates whether the species is no longer present (noLongerPresent) on the site.

**Unit:** The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

**Abundance:** Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

### 3.3.8 Motivation

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Calluna vulgaris															X
	Centaurium maritimum															X
A335	Certhia brachydactyla					X										

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Dryopteris affinis ssp. borrieri															X
1327	Eptesicus serotinus		X													
	Galium rotundifolium															X
	Hypericum humifusum L.															X
5365	Hypsugo savii		X													
	Jasione montana L.															X
	Logfia gallica															X
	Logfia minima															X
	Lotus angustissimus L.															X
	Luzula pilosa (L.) Willd.															X
	Montia fontana ssp. chondrosperma															X
	Myosotis discolor Pers.															X
1314	Myotis daubentonii		X													

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason	
1331	Nyctalus leisleri		X														
	Ophioglossum vulgatum																X
	Ornithopus perpusillus L.																X
	Orobanche rapum-genistae Thuill.																X
A473	Periparus ater					X											
2016	Pipistrellus kuhlii		X														
1309	Pipistrellus pipistrellus		X														
	Salamandra salamandra											X					
	Salmo trutta trutta							X									
A332	Sitta europaea					X											
	Sonchus arvensis																X
	Tolpis virgata (Desf.) Bertol.																X
	Tuberaria guttata (L.) Fourn.																X

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
1053	Zerynthia polyxena		X													

**Motivation:** The motivation for listing additional species: H.D. Annex II = Species of Annex II Habitats Directive in SPA; H.D. Annex IV = Species of Annex IV Habitats Directive; H.D. Annex V = Species of Annex V Habitats Directive; B.D. Annex I = Bird species of Annex I Birds Directive in a pSCI, SCI, SAC; Migratory birds = Migratory bird species in a pSCI, SCI, SAC; CFP prohib. = Prohibited species of Annex I of the Technical Measures Regulation under the common fisheries policy (EU Regulation 2019/1241); Int conv. = Species listed/protected under international Conventions; H.D. Annex I = Typical species of Annex I habitat types; CWR/FRG = Crop Wild Relatives (CWR) / Forest Genetic Resources (FGR); IAS Union = Invasive alien species of Union concern (EU Regulation 1143/2014 on invasive alien species).

## 4. Site description

### 4.1 Site characteristics

Piccola catena arenacea ricca di boschi acidofili. Unico sito della regione in cui si rinvencono brughiere a *Calluna vulgaris*. Habitat da aggiungere rispetto all'allegato I della direttiva 92/43 - CEE: - Arbusteti submediterranei (*Cytision sessilifolii*); - Foreste acidofile a *Quercus cerris* dell'Appennino centro-settentrionale.

### 4.2 Quality and importance of the site

Specie rare e non comuni nella regione. Area di rilevante importanza per la presenza del Picchio rosso mezzano. Numerosi i passeriformi nidificanti. Presente anche il Falco pecchiaiolo come nidificante.

### 4.3 Pressures on the site

4.3.1 Pressure code	4.3.2 Rank	4.3.3 Location	4.3.4 Further details
PA05	medium	in	
PK01	medium	in	
PL01	medium	inout	
PL06	medium	out	

**Pressure code:** Pressure code

**Rank:** Relative importance of a pressure in the categories high, medium, low.

**Location:** Indicates where the pressure is located: in = within the site; out = outside of the site; inout = within and outside of the site.

### 4.3.5 Last update of the information on the pressures on the site

202512

### 4.4 Documentation

Brilli-Cattarini, A.J.B., Gubellini, L., 1983. Cenni sulla vegetazione, flora e fauna del Massiccio del M. Nerone e del complesso delle Serre nei Comuni di Apecchio, Cagli e Piobbico in Provincia di Pesaro e Urbino. Disponibile su <<http://www.lavalledelmetauro.org>>[Data di accesso 28/08/2012].

#### 4.4.1 Link(s)

<http://www.lavalledelmetauro.org>

#### 4.4.2 Last update of the documentation information

202412

## 5. Site management

### 5.1 Body responsible for the site management

#### 5.1.1 Name of the organization

Unione Montana Ambito n. 2 B del Catria e Nerone

#### 5.1.2 Contact point in the organisation (optional)

No information provided

#### 5.1.3 Postal address

Via Gaetano Lapis, 8 (61043) - Cagli Tel. 0721.787431 - 0721. 787752 - 0721.787068, fax 0721.787441 - 0721.701049

#### 5.1.4 Functional mailbox email address

cm.cagli@emarche.it

#### 5.1.5 Website with contact information

No information provided

### 5.2 Management plans

#### 5.2.1 Existence of management plan(s)

Yes

## 5.2.2 Reference and validity of the management plan(s)

Name of the plan	Link to the plan (URI)	Validity of the plan (start date)	Duration (number of months)
Piano di gestione del sito Natura 2000 IT5310018 "Serre del Burano"	<a href="https://www.norme.marche.it/NormeMarche/atto/detail.html?id=2259701&amp;type=scadutiDelibereGiunta&amp;page=0&amp;ordinamento=data_atto&amp;tipoOrdinamento=desc&amp;limit=10">https://www.norme.marche.it/NormeMarche/atto/detail.html?id=2259701&amp;type=scadutiDelibereGiunta&amp;page=0&amp;ordinamento=data_atto&amp;tipoOrdinamento=desc&amp;limit=10</a>		Not undefined

## 5.2.3 Further explanations

### 5.3 Conservation measures

#### 5.3.1 Detailed information on measures

**Necessary conservation measures are included in the management plan(s)**

Necessary conservation measures are described in the following document(s)

5.3.1.b Title	5.3.1.c Link to online resource
DDS TTER 28 del 4/03/2025	<a href="https://www.norme.marche.it/NormeMarche/atto/detail.html?id=2423306">https://www.norme.marche.it/NormeMarche/atto/detail.html?id=2423306</a>

#### Further explanations on detailed conservation measures

Sono in vigore: 1) Misure di conservazione generali consultabili linkando a: -

[http://www.norme.marche.it/Delibere/2008/DGR1471\\_08.pdf](http://www.norme.marche.it/Delibere/2008/DGR1471_08.pdf) - [http://www.norme.marche.it/Delibere/2009/DGR1036\\_09.pdf](http://www.norme.marche.it/Delibere/2009/DGR1036_09.pdf) 2)

Misure di conservazione sito specifiche consultabili linkando a: - [http://www.norme.marche.it/Delibere/2016/DGR0657\\_16.pdf](http://www.norme.marche.it/Delibere/2016/DGR0657_16.pdf)

#### 5.3.2 Status of conservation measures

**Are the necessary measures established?**

**Are the established measures implemented?**

## 5.4 Management effectiveness

**Is the effectiveness of the conservation measures periodically assessed?**

Further explanations on detailed conservation measures

## 6. Geospatial representation of the site

### 6.1 INSPIRE identifier

#### 6.1.1 Namespace

#### 6.1.2 Local identifier

#### 6.1.3 Version identifier (optional)