NATURA 2000 - STANDARD DATA FORM

DRAFT exported from Reportnet 3 - [14/01/2026]
Fiume Esino in località Ripa Bianca (IT5320009 - SPA/SCI)

Table of contents

1.Site identification 2.Site location 3.Ecological information 4.Site description 5.Site protection status 6.Site management 7.Map of the site

1. Site identification

1.1 Site type
C

1.2 Site code
IT5320009

1.3 Site name
Fiume Esino in località Ripa Bianca

1.3.1 Site name non-latin alphabet (optional)

1.4 Respondent

1.4.1 Name of the organisation
Regione Marche - Direzione Ambiente e risorse idriche

1.4.2 Contact point in the organisation (optional)

1.4.3 Postal address
Via Tiziano,44 - 60125 ANCONA

1.4.4 Functional mailbox email address
regione.marche.acquasuolocosta@emarche.it

1.4.5 Website with contact information

1.5 Site classification/proposal/designation dates

1.5.1 Date site first classified as SPA
2003-03

1.5.2 SPA classification act (URI)
https://www.norme.marche.it/NormeMarche/atto/download-file.html?idAllegato=1403922&id=1403920

1.5.2 SPA classification act (free text)
DGR delle Marche n° 1701 dell'01/08/2000

1.5.3 Date site first proposed as SCI
1995-06

Date confirmed as SCI
populated by EEA on behalf of the European Commision

1.5.4 Date site designated as SAC

2016-12

1.5.5 SAC designation act (URI)
https://www.gazzettaufficiale.it/eli/gu/2016/12/28/302/sg/pdf

1.5.5 SAC designation act (free text)
DM 05/12/2016 - G.U. 302 del 28-12-2016

1.5.6 Explanations (optional)

2. Site location

2.1 Location calculated by the European Environment Agency

Longitude

Latitude

calculated by the EEA after release in Reportnet 3

calculated by the EEA after release in Reportnet 3

2.1.1 Area (ha)
406

2.1.2 Reason for area difference with spatial dataset (if any)

2.1.3 Reason for area difference – explanations

2.2 Administrative region (optional)

2.2.1 Administrative region code	2.2.2 Administrative region name
ITI3	MARCHE

2.3 Biogeographical and marine regions

2.3.1 Region code	2.3.2 Percentage	Fully marine SCI/SAC (100 %) must be attributed to a biogeographical
Continental	100	Continental

3. Ecological information

3.1 Habitat types of Annex I of council directive 92/43/EEC present on the site

3.1.a Essential information (habitat type)

Annex I habitat types							
3.1.1		3.1.2	3.1.3	3.1.4	3.1.5	3.1.6	3.1.7
Code	Name	Priority form	Not present	Cover [ha]	Caves [number]	Method cover	Last data collection
3150	Natural eutrophic lakes with Magnopotamion or Hydrocharition — type vegetation	No		1		limited	
3240	Alpine rivers and their ligneous vegetation with Salix elaeagnos	No		0.08		limited	
3260	Water courses of plain to montane levels with the Ranunculion fluitantis and Callitricho-Batrachion vegetation	No		0.12		limited	
3270	Rivers with muddy banks with Chenopodion rubri p.p. and Bidention p.p. vegetation	No		15.81		limited	
3280	Constantly flowing Mediterranean rivers with Paspalo-Agrostidion species and hanging curtains of Salix and Populus alba	No		0.04		limited	
6210	Semi-natural dry grasslands and scrubland facies on calcareous substrates (Festuco-Brometalia) (* important orchid sites)	Yes		0.16		limited	

6420	Mediterranean tall humid grasslands of the Molinio-Holoscho enion	No	20.3	limited
6430	Hydrophilous tall herb fringe communities of plains and of the montane to alpine levels	No	0.2	limited
91AA	Eastern white oak woods	No	1.22	limited
92A0	Salix alba and Populus alba galleries	No	21.22	limited

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.
Not Present: Indicates whether the habitat type is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).
Cover: Shows the size of habitat type as decimal values.
Caves: For habitat types 8310 and 8330 (caves), the number of caves can be entered when a surface area is not available or appropriate.
Method used for cover: Method used for cover: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; insufficient = insufficient or no data available
Last data collection: Date or period of the last data collection.

3.1.b Site assessment (habitat type)

3.1.1		3.1.2	3.1.8	3.1.9	3.1.10	3.1.12.1	3.1.12.2	3.1.12.3	3.1.13	3.1.14	3.1.15	3.1.16
Code	Name	Priority form	Significance	Representativity	Relative surface	Conservation	Conservation area	Conservation method	Conservation objectives	Objectives further explanation	Global	Update date
3150	Natural eutrophic lakes with Magnopotamion or Hydrocharition — type vegetation	No	significant	A	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi dell'articolo 17	B					B	202412
3240	Alpine rivers and their ligneous vegetation with Salix elaeagnos	No	significant	A	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi dell'articolo 17	B					B	202412

3260	Water courses of plain to montane levels with the Ranunculion fluitantis and Callitricho-Batrachion vegetation	No	significant	A		C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi dell'articolo 17	B				B	202412
3270	Rivers with muddy banks with Chenopodion rubri p.p. and Bidention p.p. vegetation	No	significant	B		C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi dell'articolo 17	A				B	202412

3280	Constantly flowing Mediterranean rivers with Paspalo-Agrostidion species and hanging curtains of Salix and Populus alba	No	significant	B		C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi dell'articolo 17	B				C	202412
6210	Semi-natural dry grasslands and scrubland facies on calcareous substrates (Festuco-Brometalia) (* important orchid sites)	Yes	significant	C		C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi dell'articolo 17	C				C	202412

6420	Mediterranean tall humid grasslands of the Molinio-Holosch oenion	No	significant	C		C Calcolata come rapporto tra il valore di F_3_1_ 4_habitat_ cover e la superficie complessi va nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B				B	20241 2
6430	Hydrophilous tall herb fringe communities of plains and of the montane to alpine levels	No	significant	B		C Calcolata come rapporto tra il valore di F_3_1_ 4_habitat_ cover e la superficie complessi va nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B				B	20241 2

91AA	Eastern white oak woods	No	significant	C		C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi dell'articolo 17	C				C	202412
92A0	Salix alba and Populus alba galleries	No	significant	A		C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi dell'articolo 17	B				B	202412

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.
Significance: Indicates if the occurrence is significant or not.
Representativity: Degree of representativity of the habitat type on the site: A = excellent; B = good; C = significant
Relative Surface: Area of the site covered by the habitat type in relation to the total area covered by that habitat type within the national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.
Conservation: Degree of conservation: A = excellent (nearly all of the habitat area in good condition); B = good (most of the habitat area in good condition); C = reduced (most of the habitat area in not good condition); X = unknown (most or all of the habitat area in unknown condition).
Conservation area: Area of conservation degree categories in good (A + B), not good (C), unknown (X) conditions as hectare values.
Conservation method: Method used for degree of conservation: complete = Complete survey or statistically robust estimate in hectares (for example taken from mapping in management plans); limited = Based mainly on extrapolation from a limited amount of data (expert judgement); veryLimited = Based mainly on expert opinion with very limited data (based on partial mapping data); insufficient = Insufficient or no data available.
Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the habitat type's surface area and its good condition; enlarge = Enlarge the area of the habitat type; improve = Improve the habitat type condition; reestablish = Re-establish the habitat type; other = Other.
Global: Global assessment of the habitat type in the site: A = excellent; B = good; C = significant.
Updated date: Date or period of the last update.

3.2 Species referred to in Article 4 of Directive 2009/147/EC and species listed in Annex II to Directive 92/43/EEC present on the site

3.2.a Essential information (species)

Species					Population in the site						
3.2.1	3.2.2		3.2.4	3.2.5	3.2.6	3.2.7.1	3.2.7.1	3.2.7.2	3.2.8	3.2.9	3.2.10
Group	Code	Scientific name	Sensitive	Not present	Type	Size min	Size max	Unit	Abundance	Mehod Populaton size	Last data collection
B	A229	Alcedo atthis			r				P	insufficient	
B	A229	Alcedo atthis			c				P	insufficient	
B	A229	Alcedo atthis			w				P	insufficient	
B	A773	Ardea alba			w				V	insufficient	
B	A773	Ardea alba			c				P	insufficient	
B	A028	Ardea cinerea			w				P	insufficient	
B	A028	Ardea cinerea			c				P	insufficient	
B	A028	Ardea cinerea			r	35	45	p		complete	

B	A029	Ardea purpurea	c				P	insufficient
B	A024	Ardeola ralloides	r	1	1	p		complete
B	A060	Aythya nyroca	c				R	insufficient
B	A021	Botaurus stellaris	c				P	insufficient
B	A021	Botaurus stellaris	w				V	insufficient
B	A861	Calidris pugnax	c				P	insufficient
B	A734	Chlidonias hybrida	c				P	insufficient
B	A031	Ciconia ciconia	c				P	insufficient
B	A030	Ciconia nigra	c				V	insufficient
B	A081	Circus aeruginosus	c				P	insufficient
B	A082	Circus cyaneus	w				P	insufficient
B	A480	Cyanecula svecica	c				R	insufficient
B	A026	Egretta garzetta	c				P	insufficient
B	A026	Egretta garzetta	r	2	5	p		complete
B	A379	Emberiza hortulana	r	2	4	p		complete
B	A127	Grus grus	c				P	insufficient
B	A131	Himantopus himantopus	c				P	insufficient
B	A131	Himantopus himantopus	r				R	insufficient

B	A022	Ixobrychus minutus	r				P	insufficient
B	A022	Ixobrychus minutus	c				P	insufficient
B	A338	Lanius collurio	r	1	3	p		limited
B	A875	Microcarbo pygmaeus	p	15	25	p		complete
B	A875	Microcarbo pygmaeus	c				R	insufficient
B	A023	Nycticorax nycticorax	c				P	insufficient
B	A023	Nycticorax nycticorax	r	10	30	p		complete
B	A094	Pandion haliaetus	c				P	insufficient
B	A072	Pernis apivorus	c				P	insufficient
B	A034	Platalea leucorodia	c				R	insufficient
B	A032	Plegadis falcinellus	c				R	insufficient
B	A140	Pluvialis apricaria	c				P	insufficient
B	A132	Recurvirostra avosetta	c				R	insufficient
B	A336	Remiz pendulinus	r				P	insufficient
B	A336	Remiz pendulinus	c				P	insufficient
B	A166	Tringa glareola	c				P	insufficient
F	1137	Barbus plebejus	p				C	insufficient
F	5962	Protochondrostoma genei	r				P	insufficient

F	1136	Rutilus rubilio	p		P	insufficient

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.
Sensitive: Species indicated with “true” are classified as sensitive.
Not Present: Indicates whether the species is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).
Type: Population type of species in the site: p = Permanent: to be found throughout the year on the site (non-migratory species, plants, resident population of migratory species); r = Reproducing: uses the site to raise young (e.g. breeding, nesting); c = Concentration: site used for staging or roosting or migration stop/over or for moulting outside the breeding grounds and excluding wintering; w = Wintering: uses the site during the winter.
Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.
Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.
Method Population size: Method used for population size: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; veryLimited = Based mainly on expert opinion with very limited data; insufficient = insufficient or no data available.
Last data collection: Date or period of the last data collection.

3.2.b Site assessment (species)

3.2.1 Group	3.2.2 Code	3.2.3 Scientific Name	3.2.6 Type	3.2.11 Significance	3.2.12 SPA classification	3.2.13 Population	3.2.14 Population further explanation	3.2.15 Conservation	3.2.15.2 Conservation occupied % area (optional)	3.2.15.3 Conservation occupied % class	3.2.16 Conservation objectives	3.2.17 Objetives further ex planation	3.2.18 Isolatio n	3.2.19 Global	3.2.20 Update date
B	A229	Alcedo atthis	r	significant		C		B					C	A	202412
B	A229	Alcedo atthis	c	significant		C		B					C	A	202412
B	A229	Alcedo atthis	w	significant		C		B					C	A	202412
B	A773	Ardea alba	w	significant		C		B					C	B	202412
B	A773	Ardea alba	c	significant		C		B					C	B	202412
B	A028	Ardea cinerea	w	significant		C		B					C	B	202412
B	A028	Ardea cinerea	c	significant		C		B					C	B	202412
B	A028	Ardea cinerea	r	significant		C		B					C	B	202412
B	A029	Ardea purpurea	c	significant		C		B					C	B	202412
B	A024	Ardeola ralloides	r	significant		C		B					A	B	202412
B	A060	Aythya nyroca	c	non-significant											202412
B	A021	Botaurus stellaris	c	significant		C		B					C	C	202412
B	A021	Botaurus stellaris	w	significant		C		B					C	C	202412
B	A861	Calidris pugnax	c	significant		C		C					C	B	202412

B	A734	Chlidonias hybrida	c	significant	C	C		C	C	202412
B	A031	Ciconia ciconia	c	significant	C	C		C	B	202412
B	A030	Ciconia nigra	c	non-significant						202412
B	A081	Circus aeruginosus	c	significant	C	B		B	C	202412
B	A082	Circus cyaneus	w	significant	C	B		C	B	202412
B	A480	Cyanecula svecica	c	significant	C	B		C	B	202412
B	A026	Egretta garzetta	c	significant	C	C		C	B	202412
B	A026	Egretta garzetta	r	significant	C	B		C	B	202412
B	A379	Emberiza hortulana	r	significant	C	C		C	B	202412
B	A127	Grus grus	c	significant	C	C		C	C	202412
B	A131	Himantopus himantopus	c	significant	C	C		C	B	202412
B	A131	Himantopus himantopus	r	significant	C	C		C	A	202412
B	A022	Ixobrychus minutus	r	significant	C	B		C	B	202412
B	A022	Ixobrychus minutus	c	significant	C	B		C	B	202412
B	A338	Lanius collurio	r	significant	C	C		C	C	202412

B	A875	Microcarbo pygmaeus	p	significant	C	B		B	B	202412
B	A875	Microcarbo pygmaeus	c	non-significant						202412
B	A023	Nycticorax nycticorax	c	significant	C	A		C	B	202412
B	A023	Nycticorax nycticorax	r	significant	C	A		C	B	202412
B	A094	Pandion haliaetus	c	significant	C	B		C	B	202412
B	A072	Pernis apivorus	c	significant	C	B		C	B	202412
B	A034	Platalea leucorodia	c	non-significant						202412
B	A032	Plegadis falcinellus	c	non-significant						202412
B	A140	Pluvialis apricaria	c	significant	C	C		C	B	202412
B	A132	Recurvirostra avosetta	c	non-significant						202412
B	A336	Remiz pendulinus	r	significant	C	C		C	B	202412
B	A336	Remiz pendulinus	c	significant	C	C		C	B	202412
B	A166	Tringa glareola	c	significant	C	B		C	B	202412
F	1137	Barbus plebejus	p	significant	C	C		A	C	202412

F	5962	Protochondrostoma genei	r	significant	B	B		C	B	202412
F	1136	Rutilus rubilio	p	significant	C	B		C	C	202412

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.
Significance: Indicates if the occurrence is significant or not.
SPA classification: AIndicate if the bird species met the ornithological criteria used to justify SPA classification.
Population: Size and density of the population of the species present on the site in relation to the populations present within national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.
Conservation: Degree of conservation: A = excellent (nearly all of the habitat occupied by the species has sufficient quality); B = good (most of the habitat occupied by the species has sufficient quality); C = reduced (most of the habitat occupied by the species has non-sufficient quality); X = unknown (most of the habitat occupied by the species has unknown quality).
Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the extent and good quality of the habitat of the species and the population size; enlarge = Enlarge area of the habitat of the species; improve = Improve the quality of the habitat of the species (considering also disturbance and mortality factors); reestablish = Re-establish habitat for the species; increase = Increase the population size; reduce = Reduce pressure on the population (e.g. reduce mortality or disturbance); reestablishPopulation = Re-establish the population at the site; other = Other.
Isolation: Degree of isolation: A = population (almost) isolated, B = population not-isolated, but on the margins of are of distribution, C = population not-isolated within extended distribution range.
Global: Global assessment of the species in the site: A = excellent; B = good; C = significant.
Global: Date or period of the last update.

3.3 Other important species of flora and fauna (optional)

3.3.1 Group	3.3.2 Code	3.3.3 Scientific name	3.3.4 Sensitive	3.3.5 Not present	3.3.6.1 Size min	3.3.6.1 Size max	3.3.6.2 Population unit	3.3.7 Abundance
B	A025	Bubulcus ibis		no	10	15	p	
M	1341	Muscardinus avellanarius		no				P
R		Natrix natrix		no				P

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.
Code: For Birds, Annex II, IV and V species the code from the official code list as provided in the reference portal..
Sensitive: Species indicated with “true” are classified as sensitive.
Not present: Indicates whether the species is no longer present (noLongerPresent) on the site.
Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.
Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

3.3.8 Motivation

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A025	Bubulcus ibis					X										
1341	Muscardinus avellanarius		X													
	Natrix natrix											X				

Motivation: The motivation for listing additional species:H.D. Annex II = Species of Annex II Habitats Directive in SPA; H.D. Annex IV = Species of Annex IV Habitats Directive; H.D. Annex V = Species of Annex V Habitats Directive; B.D. Annex I = Bird species of Annex I Birds Directive in a pSCI, SCI, SAC; Migratory birds = Migratory bird species in a pSCI, SCI, SAC; CFP prohib. = Prohibited species of Annex I of the Technical Measures Regulation under the common fisheries policy (EU Regulation 2019/1241); Int conv. = Species listed/protected under international Conventions; H.D. Annex I = Typical species of Annex I habitat types; CWR/FRG = Crop Wild Relatives (CWR) / Forest Genetic Resources (FGR); IAS Union = Invasive alien species of Union concern (EU Regulation 1143/2014 on invasive alien species).

4. Site description

4.1 Site characteristics

Ambiente fluviale con bosco ripariale in discreto stato di conservazione. Sito importante per l'avifauna. Presenza di una garzaia. Habitat da aggiungere rispetto all'allegato I della direttiva 92/43 - CEE: - Arbusteti submediterranei (Cytision sessilifolii); - Calanchi appenninici.

4.2 Quality and importance of the site

Specie non comuni nella regione.

4.3 Pressures on the site

4.3.1 Pressure code	4.3.2 Rank	4.3.3 Location	4.3.4 Further details
PL05	high	inout	

Pressure code: Pressure code

Rank: Relative importance of a pressure in the categories high, medium, low.

Location: Indicates where the pressure in located: in = within the site; out = outside of the site; inout = within and outside of the site.

4.3.5 Last update of the information on the preassures on the site

202512

4.4 Documentation

4.4.1 Link(s)

4.4.2 Last update of the documentation information

5. Site management

5.1 Body responsible for the site management

5.1.1 Name of the organization

Per il territorio della SIC/ZPS non compreso in quello della Riserva Naturale regionale di Ripa Bianca: Provincia di Ancona Dipartimento III Governo del Territorio

5.1.2 Contact point in the organisation (optional)

No information provided

5.1.3 Postal address

Via Menicucci, 1 (60121) Ancona

5.1.4 Functional mailbox email address

provincia.ancona@cert.provincia.ancona.it

5.1.5 Website with contact information

No information provided

5.1 Body responsible for the site management

5.1.1 Name of the organization

Per il territorio della SIC/ZPS compreso in quello della Riserva Naturale regionale di Ripa Bianca di Jesi: Riserva naturale regionale di Ripa Bianca di Jesi

5.1.2 Contact point in the organisation (optional)

No information provided

5.1.3 Postal address

Via Zanibelli, 2 (60035) Jesi Tel. e fax 0731.6192.13

5.1.4 Functional mailbox email address

d.belfiori@pec.it

5.1.5 Website with contact information

No information provided

5.2 Management plans

5.2.1 Existence of management plan(s)
Yes

5.2.2 Reference and validity of the management plan(s)

Name of the plan	Link to the plan (URI)	Validity of the plan (start date)	Duration (number of months)
Piano di gestione del sito Natura 2000 IT5320009 “Fiume Esino in località Ripa Bianca”	http://www.norme.marche.it/Delibere/2016/DGR0766_16.pdf		Not undefined

5.2.3 Further explanations

5.3 Conservation measures

5.3.1 Detailed information on measures

Necessary conservation measures are included in the management plan(s)

Necessary conservation measures are described in the following document(s)

5.3.1.b Title	5.3.1.c Link to online resource
DDS TTER 29 del 4/03/2025	https://www.norme.marche.it/NormeMarche/atto/detail.html?id=2423335

Further explanations on detailed conservation measures
Sono in vigore: 1) Misure di conservazione generali consultabili linkando a: - http://www.norme.marche.it/Delibere/2008/DGR1471_08.pdf - http://www.norme.marche.it/Delibere/2009/DGR1036_09.pdf 2) Misure di conservazione definite nel Piano di gestione del Sito consultabili linkando a: https://www.norme.marche.it/NormeMarche/atto/detail.html?id=1418216&type=scadutiDelibereGiunta&page=0&ordinamento=data_atto&tipoOrdinamento=desc&limit=10

5.3.2 Status of conservation measures

Are the necessary measures established? **Are the established measures implemented?**

5.4 Management effectiveness

Is the effectiveness of the conservation measures periodically assessed?

Further explanations on detailed conservation measures

6. Geospatial representation of the site

6.1 INSPIRE identifier

6.1.1 Namespace

6.1.2 Local identifier

6.1.3 Version identifier (optional)